```
Welcome to STN International! Enter x:x
LOGINID: SSSPTA1600RXA
PASSWORD:
TERMINAL (ENTER 1, 2, 3, OR ?):2
* * * * * * * * * * * Welcome to STN International
                                                    * * * * * * * * * *
NEWS 1
                 Web Page for STN Seminar Schedule - N. America
NEWS 2 AUG 15 CAOLD to be discontinued on December 31, 2008
NEWS 3 OCT 07
                 EPFULL enhanced with full implementation of EPC2000
NEWS 4 OCT 07 Multiple databases enhanced for more flexible patent
                 number searching
NEWS 5 OCT 22
                 Current-awareness alert (SDI) setup and editing
                 enhanced
NEWS 6 OCT 22 WPIDS, WPINDEX, and WPIX enhanced with Canadian PCT
                 Applications
NEWS 7 OCT 24 CHEMLIST enhanced with intermediate list of
                 pre-registered REACH substances
NEWS 8 NOV 21 CAS patent coverage to include exemplified prophetic
                 substances identified in English-, French-, German-,
                 and Japanese-language basic patents from 2004-present
NEWS 9 NOV 26 MARPAT enhanced with FSORT command
NEWS 10 NOV 26 MEDLINE year-end processing temporarily halts
                 availability of new fully-indexed citations
NEWS 11 NOV 26 CHEMSAFE now available on STN Easy
NEWS 12 NOV 26 Two new SET commands increase convenience of STN
                 searching
NEWS 13 DEC 01 ChemPort single article sales feature unavailable
NEWS 14 DEC 12 GBFULL now offers single source for full-text
                 coverage of complete UK patent families
NEWS EXPRESS JUNE 27 08 CURRENT WINDOWS VERSION IS V8.3,
             AND CURRENT DISCOVER FILE IS DATED 23 JUNE 2008.
NEWS HOURS
              STN Operating Hours Plus Help Desk Availability
NEWS LOGIN
              Welcome Banner and News Items
NEWS TPC8
              For general information regarding STN implementation of IPC 8
Enter NEWS followed by the item number or name to see news on that
specific topic.
 All use of STN is subject to the provisions of the STN Customer
 agreement. Please note that this agreement limits use to scientific
```

of commercial gateways or other similar uses is prohibited and may 

result in loss of user privileges and other penalties.

research. Use for software development or design or implementation

FILE 'HOME' ENTERED AT 11:45:10 ON 15 DEC 2008

=> fil reg COST IN U.S. DOLLARS

FILE 'REGISTRY' ENTERED AT 11:45:27 ON 15 DEC 2008 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 12 DEC 2008 HIGHEST RN 1083471-57-1 DICTIONARY FILE UPDATES: 12 DEC 2008 HIGHEST RN 1083471-57-1

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH July 5, 2008.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/support/stngen/stndoc/properties.html

Uploading C:\Program Files\Stnexp\Queries\QUERIES\10509162.str

chain nodes : 7 8 9 10 11 12 13 14 15 21 22 ring nodes : 1 2 3 4 5 6 16 27 28 29 30 31 chain bonds : 1-14 7-8 8-9 9-10 10-11 10-21 11-12 12-13 13-22 14-15 15-16 ring bonds : 1-2 1-6 2-3 3-4 4-5 5-6 16-27 16-31 27-28 28-29 29-30 30-31 exact/norm bonds : 1-2 1-6 1-14 2-3 3-4 4-5 5-6 7-8 8-9 9-10 10-11 10-21 11-12 12-13 13-22

```
exact bonds:
14-15 15-16
normalized bonds:
16-27 16-31 27-28 28-29 29-30 30-31
isolated ring systems:
containing 1: 16:

Match level:
1:CLASS 2:CLASS 3:CLASS 4:CLASS 5:CLASS 6:CLASS 7:CLASS 8:CLASS 9:CLASS 10:CLASS 11:CLASS 12:CLASS 13:CLASS 14:CLASS 15:CLASS 18:CLASS 21:CLASS 22:CLASS 27:CLASS 22:CLASS 22:CLASS 22:CLASS 22:CLASS 22:CLASS 22:CLASS 23:CLASS 31:CLASS 18:CLASS 22:CLASS 22:CLASS 22:CLASS 22:CLASS 23:CLASS 31:CLASS 18:CLASS 22:CLASS 22:CLASS 22:CLASS 30:CLASS 31:CLASS 22:CLASS 22:CLASS 23:CLASS 31:CLASS 31:C
```

## L1 STRUCTURE UPLOADED

STR

L1 HAS NO ANSWERS

N,NO C,C4

=> d

Hy 130-5 N 10-5

Structure attributes must be viewed using STN Express query preparation.

=> s 11 SAMPLE SEARCH INITIATED 11:46:07 FILE 'REGISTRY' SAMPLE SCREEN SEARCH COMPLETED - 233 TO ITERATE

100.0% PROCESSED 233 ITERATIONS SEARCH TIME: 00.00.01

15 ANSWERS

FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\* BATCH \*\*COMPLETE\*\* PROJECTED ITERATIONS:

3745 TO 5575 68 TO 532 PROJECTED ANSWERS:

L2 15 SEA SSS SAM L1

=> s 11 full FULL SEARCH INITIATED 11:46:13 FILE 'REGISTRY' FULL SCREEN SEARCH COMPLETED - 4237 TO ITERATE

100.0% PROCESSED 4237 ITERATIONS 236 ANSWERS

SEARCH TIME: 00.00.01

236 SEA SSS FUL L1

=> s 13 and caplus/lc 61087876 CAPLUS/LC 218 L3 AND CAPLUS/LC

=> s 13 not 14 L5 18 L3 NOT L4

=> d 15 1-18

JOHNS 1. 07 18 ENDIFORM CONTRIBUTE 2008 ACS on STM
200916-119 SINDERTY
Extend STM: 13 Cent 2009
Extend Extend STM: 13 Cent 2009
Extend STM: 12 Cen

\*\*PROPERTY DATA AVAILABLE IN THE "PROP" FORMAT"

ANNARA 3 OF 18 ANDIENT COMPAGNET 2008 ACS on STM 1026877-00-9 NO 2007577 Exceeds TUM. Dr. Jun 2007 Exceeds TUM. Dr. Jun 20

\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

Absolute stereochemistry.

""PROPERTY DATA AVAILABLE IN THE "PROP" FORMAT"

Absolute stereochemistry.

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT \*\*

MEMMA 5 OF 18 REGISTRY COPYRIGHT 2008 MCS on STM 792154-64-1 REGISTRY Determined for the second STM 50 Dec 2004 [100 of t

STEREOSEARCE C19 R21 C12 N5 O4 COM CA

Absolute stereochemistry.

\*PROPERTY DATA AVAILABLE IN THE "PROP" FORMAT

Li MORMAR 6 OF 18 INCLIENT CONTRIGHT 2009 ACS on ETH 10 INCLIENT TO THE ACT OF THE INCLIENT TO THE ACT OF THE INCLIENT TO THE

Absolute stereochemistry.

""PROPERTY DATA AVAILABLE IN THE "PROP" FORMAT"

FS MF CI SS

| QARMAN | CT | 21 | MEDITYP | COPYINGET 2008 ACS on STR | Elliph-M-4 | MEDITYP | COPYINGET 2008 ACS on STR | Elliph-M-4 | MEDITYP | COPYINGET 2008 ACS on STR | Elliph-M-4 | MEDITYP | COPYINGET 2008 ACS on STR | Elliph-M-4 | MEDITYP | COPYINGET 2008 ACS on STR | Elliph-M-4 | MEDITYP | COPYINGET 2008 ACS on STR | Elliph-M-4 | MEDITYP | COPYINGET 2008 ACS on STR | Elliph-M-4 | MEDITYP | COPYINGET 2008 ACS on STR | Elliph-M-4 | MEDITYP | COPYINGET 2008 ACS on STR | Elliph-M-4 | MEDITYP | COPYINGET 2008 ACS on STR | Elliph-M-4 | MEDITYP | COPYINGET 2008 ACS on STR | Elliph-M-4 | MEDITYP | COPYINGET 2008 ACS on STR | Elliph-M-4 | MEDITYP | COPYINGET 2008 ACS on STR | Elliph-M-4 | MEDITYP | COPYINGET 2008 ACS on STR | Elliph-M-4 | MEDITYP | COPYINGET 2008 ACS on STR | Elliph-M-4 | MEDITYP | COPYINGET 2008 ACS on STR | Elliph-M-4 | MEDITYP | COPYINGET 2008 ACS on STR | Elliph-M-4 | MEDITYP | COPYINGET 2008 ACS on STR | Elliph-M-4 | MEDITYP | COPYINGET 2008 ACS on STR | Elliph-M-4 | MEDITYP | COPYINGET 2008 ACS on STR | Elliph-M-4 | MEDITYP | COPYINGET 2008 ACS on STR | Elliph-M-4 | MEDITYP | COPYINGET 2008 ACS on STR | Elliph-M-4 | MEDITYP | COPYINGET 2008 ACS on STR | Elliph-M-4 | MEDITYP | COPYINGET 2008 ACS on STR | Elliph-M-4 | MEDITYP | COPYINGET 2008 ACS on STR | Elliph-M-4 | MEDITYP | COPYINGET 2008 ACS on STR | Elliph-M-4 | MEDITYP | COPYINGET 2008 ACS on STR | Elliph-M-4 | MEDITYP | COPYINGET 2008 ACS on STR | Elliph-M-4 | MEDITYP | COPYINGET 2008 ACS on STR | Elliph-M-4 | MEDITYP | COPYINGET 2008 ACS on STR | Elliph-M-4 | MEDITYP | COPYINGET 2008 ACS on STR | Elliph-M-4 | MEDITYP | COPYINGET 2008 ACS on STR | Elliph-M-4 | MEDITYP | COPYINGET 2008 ACS on STR | Elliph-M-4 | MEDITYP | COPYINGET 2008 ACS on STR | Elliph-M-4 | MEDITYP | COPYINGET 2008 ACS on STR | Elliph-M-4 | MEDITYP | COPYINGET 2008 ACS on STR | Elliph-M-4 | MEDITYP | COPYINGET 2008 ACS ON STR | Elliph-M-4 | MEDITYP 2008 ACS ON STR | Elliph-M-4 | MEDITYP 2008 ACS ON STR

Absolute stereochemistry.

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

LS NS ED CS

Provide A of 11 Sections Controlled Note on STM (1335-1-14 Sections) of the Controlled Note on STM (1335-1-14 Sections) of the Controlled Note of the Controlled FS MF CI SX

Absolute stereochemistry.

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' PORMAT\*\*

- AREMEN 9 OF 18 RESISTRY COPYRIGHT 2008 MCS on STN 612510-09-5 REGISTRY Entered STR 04 Nov 2003 1,3,4-Omadiazole-2-carbonamide, 5-[[[[[25]-4-[3,4-

\*\*PROPERTY DATA AVAILABLE IN THE "PROP" PORMAT\*\*

- AMBMER 10 OF 18 REGISTRY COFFRIGHT 2008 ACS on STN 612510-07-3 REGISTRY Entered STN: 04 Nov 2003 1,3,4-Omadiazole-2-carbonamide, 5-[[[[[[25]-4-[[3,4-

""PROPERTY DATA AVAILABLE IN THE "PROP" PORMAT""

- ARRMEN 11 OF 18 REGISTRY COFFRIGHT 2008 ACS on STN 612510-05-1 REGISTRY Entered STN: 04 Nov 2003 1,3,4-Omadianole-2-carbonamide, 5-[|||||(28)-4-|(3,4-

""FROPERTY DATA AVAILABLE IN THE "PROP" FORMAT""

- AMEMER 12 OF 18 REGISTRY COFFRIGHT 2008 ACS on STN 612509-95-2 REGISTRY Entered STN: 04 Nov 2003 1,2,4-Oxadiacole-3-carboxamide, 5-[[[[[[25]=4-[4],4-
- difivorophesyl)methyl)-2-morpholinyl)methyl)smano|carbosyl]smino|methyl)-N-methyl-N-l1-methylathyl)- [CA INDEX NAME)

  87 C22 R28 F2 N6 O4
  C1 COM

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT \*\*

Absolute stereochemistry.

\*\*PROPERTY DATA AVAILABLE IN THE "PROP" FORMAT"

""PROPERTY DATA AVAILABLE IN THE "PROP" FORMAT"

Absolute stereochemistry.

""PROPERTY DATA AVAILABLE IN THE "PROP" FORMAT"

ANDMAN 16 OF 18 NEWSTRYN COPYNSORY 2000 ACS on ETH CARRY COPYNSORY 2000 ACS on ETH CARRY C

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT \*\*

13 MOMES 1) OF 18 MODIFIES COPYLIGHT 2009 ACS on STH

15 Decent Time 19 bit 200 t

16 Decent Time 19 bit 200 t

17 Decent Time 19 bit 200 t

18 Decent Time 19 bi

Absolute stereochemistry.

\*\*PROPERTY DATA AVAILABLE IN THE "PROP" PORMAT\*\*

Absolute stereochemistry.

""FROPERTY DATA AVAILABLE IN THE "PROP" FORMAT""

## (FILE 'HOME' ENTERED AT 11:45:10 ON 15 DEC 2008)

FILE 'REGISTRY' ENTERED AT 11:45:27 ON 15 DEC 2008 STRUCTURE UPLOADED

L1 STRUCTUF L2 15 S L1

L3 236 S L1 FULL L4 218 S L3 AND CAPLUS/LC

L5 18 S L3 NOT L4

=>

Uploading C:\Program Files\Stnexp\Queries\QUERIES\10509162.str

```
chain nodes :
7 8 9 10 11 12 13 14 15 21 22
ring nodes :
1 2 3 4 5 6 16 27 28 29 30 31
chain bonds :
1-14 7-8 8-9 9-10 10-11 10-21 11-12 12-13 13-22 14-15 15-16
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6 16-27 16-31 27-28 28-29 29-30 30-31
exact/norm bonds :
1-2 1-6 1-14 2-3 3-4 4-5 5-6 7-8 8-9 9-10 10-11 10-21 11-12 12-13
13-22
exact bonds :
14-15 15-16
normalized bonds :
16-27 16-31 27-28 28-29 29-30 30-31
isolated ring systems :
containing 1 : 16 :
```

Match level: 1:CLASS 2:CLASS 3:CLASS 4:CLASS 5:CLASS 6:CLASS 7:CLASS 8:CLASS 9:CLASS 10:CLASS 11:CLASS 12:CLASS 13:CLASS 14:CLASS 15:CLASS 16:CLASS 18:CLASS 21:CLASS 22:CLASS 27:CLASS 28:CLASS 29:CLASS 30:CLASS 31:CLASS 31:CLASS

Element Count:
Node 22: Limited
S,S0-1
0,00-1
N,N0
C,C4

## L6 STRUCTURE UPLOADED

=> d L6 HAS NO ANSWERS L6 STE

Structure attributes must be viewed using STN Express query preparation.

=> s 16 subset=13 full full SUBSET SEARCH INITIATED 11:49:26 FILE 'REGISTRY' FULL SUBSET SCREEN SEARCH COMPLETED - 236 TO ITERATE

100.0% PROCESSED 236 ITERATIONS SEARCH TIME: 00.00.01

```
L7 57 SEA SUB=L3 SSS FUL L6
```

=> s 17 and caplus/lc 61087876 CAPLUS/LC L8 53 L7 AND CAPLUS/LC

=> s 17 not 18

4 L7 NOT L8

=> d 19 1-4

NEMMA: 1 Of 4 RESISTED COPPLIEST 2009 ACS on STH 1006871-00-9 MINISTED TO 1006871-00-9 MINISTED

ANDMER 1 OF 4 MEDITAT CONTRION 2009 MCG on THE 72215-0-0-1 MEDITATE ANDMER CONTRIBUTE OF THE ANDMER CONTRIBUTE OF THE

Absolute stereochemistry.

"PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

Addmin 1 of a 1821577 CONTRIGHT 2009 MS on ETH E1810-1-0 MS TO THE STATE OF A 1821577 CONTRIGHT 2009 MS on ETH E1810-1-0 MS on

FS MF CI SS

Absolute stereochemistry.

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1.9 328 ED CS

FS MF CI SR

Absolute stereochemistry.

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' POPMAT \*\*

=> fil caplus COST IN U.S. DOLLARS

FULL ESTIMATED COST

FILE 'CAPLUS' ENTERED AT 11:50:57 ON 15 DEC 2008 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

SINCE FILE

278.44

TOTAL ENTRY SESSION

278.65

FILE COVERS 1907 - 15 Dec 2008 VOL 149 ISS 25 FILE LAST UPDATED: 14 Dec 2008 (20081214/ED)

Caplus now includes complete International Patent Classification (IPC) reclassification data for the third quarter of 2008.

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

LIO AMERIKA I OF 3 CAPLUS COPTRIGHT 2008 ACS on STR ACCESSION NUMBER: 2003:943826 CAPLUS DOUBLET NUMBER: 142:56365

Cook, Caroline Mary; Eldred, Colin David; Harrison, Lee Andrew

Glaso Group Limited, UK PCT Int. Appl., 52 pp. CODEN: PIXED2 Patent PATERT ASSIGNMENTS):

DOCUMENT TYPE: LANGUAGE: FAMILY ACC: NUM, CO PATENT INFORMATION:

PATERT NO. DATE

OTHER SOURCE(S): MARIAT 142:56365

 $|\Sigma|=Ph\rangle$  was prepared via a reaction of the corresponding propymylur  $|\Sigma|=B\rangle$  with indobeniene using (PPh3)2PdCl2, copper indide, PPh3 and in IMT. The prepared morpholinylmethylureas were assayed for CCR-3 hinding activity and for their inhibitory effect on eosinophil chemotaxis.

1 202 72-18-79

OR COPPLIEST NOS ACS ON STR 2005/174697 CAUSE 139.307777 Preparation of morpholizylmethylureas as CCT-3 Preparation of morpholizylmethylureas as CCT-3 Preparation of morpholizylmethylureas as CCT-3 Posting Nose, Paul Martin, Martino, Lee Andrew, Couls David Good, Paul Martin, Martino, Lee Andrew, Couls David Good, Paul Martin, Martino, Lee Andrew, Damean Rober, Peellon, Stanne Elaber; Levell, Nice Glory Mills, Gallir Poberton, Garent Elaber; Levell INVESTOR (S):

vanson,

Stephen; Malker, Andrew John; Milkinson, Mark; et al. Glazo Group Limited, UK PCT Jot. Appl., 111 pp. CODDN: PIXED2 Patent PATENT ASSIGNED(S):

DOCUMENT TYPE: LANGUAGE: FAMILY ACC. NUM. COUNT: FATENT INFORMATION:

PATERT NO. DATE APPLICATION NO. | No. | Control | No. | No WO 2003-EP3335

GB 2003-1608

L10 AMEMBER 1 OF 3 CAPLUS COFFEIGHT 2008 MCS on STN (Continued)
(Therapeutic use); BIOL (Biological study); PREF (Freparation); USES
(Uses) (prepn. of morpholinylmethylureas for use in pharmaceutical compns. as

preps. or morpoilmy/mers/jureas for use in pastmaceutical compns. a chemokine CCR-3 recoppor antagonists) 005742-55-7 CAPLES Urea, N-[14-[3,4-dichlorophenyl]methyl]-2-morpholinyl]methyl]-N'-[3-(2-thiesyl)-2-propys-1-yl]- (CA IRDEK NOME)

REPERENCE COUNTY

HERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS ECORD. ALL CITATIONS AVAILABLE IN THE RE

LIO ANSWER 2 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)

This moment, ] B1 - mod maintimed minimary 7 - mod, model models of maintimed my homology 19-3s - m, always models of models o

(Uses)
(preparation of morpholinylmethylureas as CCR-3 antagonists)
612510-87-9 CAPLUS
3-Thiopheneoxiboxanide, 5-[[[[[[(28)-4-[(3,4-dichlorophenyl)methyl]-2-morpholinyl]methyl]amino]oxioonyllanino[methyl]-4-methyl (CA INDEX

Absolute stereochemistry

Absolute stereochemistry

MARPAT 139:307777

■ HC1

612512-05-7 CARLES
3-Farancanboxylic acid, 5-[[[[[(25)-4-[(3,4-dichloropheny1)methy1)-2-morpholasyl)methy1anino]carboxylamino]methy1]-,
2-[[1,1-dimethy1ethoxy/earboxyl]hydrazide (CA INHEK NAME)

61251-07-9 CARLES
-Parancestosyllo acid, 5-[[[[[(28)-4-[(7,4-dichlorophenyl)methyl]-2-noupholinyl]methyl]anino]carbonyl]anino]methyl]-, 2-formylhydraide (CA

Absolute stereochemistry

AMBMER 2 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN

612510-55-1 CAPLUS 3-Furancarboxylic acid, 5-([[[[[(28)-4-[(3,4-dichlorophenyl)methyl]-2-norpholinyl]methyl]amino]carbonyl]amino]methyl]-, ethyl aster (CA INDEX

ciltic-57-1 CAPUS
3-Furancathoxylio acid, 5-[[[[[(28)-4-[(3,4-dichlorophenyl)nethyl]-2norpholanyl]nethyl]amino[oxiconyl]amino[nethyl]-, coepd, with
N,8-datehylethamanine [(111) [921) [CA INDEX RMME)

CRM 612510-56-2 CMF CL9 H21 C12 H3 O5

OH 1

CN 2

L10 ANSMER 2 OF 3 CAPLUS COPYRIGHT 2000 ACS on STN (Continued)

Hillion J. 1987 (12336-47-19 Elizho-55-19 (12336-75) Philipse (Indextant) SWE (Synthetic preparation) TWC (Therapeutic usr); Blin (Elizho-field stwly) TWE (Therapeutic usr); Performance (Indextant or compent) [Perparation of morpholisy] Indextant or compents of morpholisy] [Perparation of morpholisy] [Perpara

CM 1 CMF C19 821 C12 N3 O5

CN 2 CRN 121-44-8 CMF OF R15 N

612510-13-1 CAPLUS
2-Furamearboxylic acid, 5-[[[[[[(25)-4-[(3,4-dichlorophenyl)nethyl]-2-morpholisyl]nethyl]amino]carboxyljamino]nethyl]-, ethyl ester (CA INDEX [0906])

LIO ANSMER 2 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN

721 CN NAME)

612510-15-3 CAPLUS
2-Furancarboxanide, 5-[[[[[(28)-4-[(3,4-dichlorophenyl)methyl]-2-morpholinyllmethyllanino]carboxnyllanino]methyll-H-ethyl- (CA INDEX NAME)

612510-16-4 CAPLOS 2-Furanearboxamide, 5-{||{||{||28}-4-{||3,4-dichlorophenyl}nethyl}-2-

L10 MRMEN 2 OF 3 CAPLES COPTRIGET 2008 MCS on STN (Continued) norpholisyl)pschyl]anino]earbonyl]anino]methyl]-H-(1-methylethyl)- (CA

Absolute stereochemistry.

32 612510-26-6 CAPATS
CS 3-Fusancariocanide, 5-[[[[[[25]-4-[[3,4-dichlorophenyl)methyl]-2-morpholanyl)mothyl]amino]exibosyl]amino]methyl]-8-methyl- (CA INHEX NAME)

Absolute stereochemistry.

NN 632510-27-7 CAPL/95
CN 3-Furance/boarnide, 5-[[[[[[(25)-4-[(3,4-dichlorophenyl)methyl]-2-morpholinyl]methyl]amino]exbonyl]amino]methyl]-N-ethyl- (CA INDEX NAME)
Absolute stereochemistry.

NS 612510-28-8 CARGUS S-Furancebrowanide, 5-[[[[[25]-4-[[5,4-dichlorophenyl]methyl]-2morpholinyl]methyl]amino]carbonyl]amino]methyl]-8-[1-methylethyl)- (CA NEXEX NUME)

Absolute stereochemistry.

LLO ANSWER 2 OF 3 CAPLUS COPTRIGHT 2008 ACS on STN (Continued

NO 612510-43-9 CAPAUS CD 2-Thiophenearboxamide, 5-[[[[[[25]-4-[[3,4-diffuorophenyl]nethyl]-2-menepholinyl]nethyl]amino]carbonyllamino[nethyl]-8-methyl- (CA INDEX

.....

323 6125:0-46-0 CAPLUS
CN 2-Thiopheneanboxanide, 5-[[[[[[28]-4-[[3,4-difluorophenyl]methyl]-2-norpholonyl]methyl]anno]oxioonyl]anino]nethyl]-N-ethyl- (CA INDEX NAME)
Absolute strenghenistry.

38 612510-47-1 CAPUTS CR 2-Thiopheneouthousanide, 5-[[[[[[(23)-4-[(7,4-difluorophenyl]nethyl]-2-nogloblinyl]nethyl]amino]oxidonyl]amino]nethyl]-8-(1-nethylethyl)- [CA DECK MOME

..........

L10 AMSMER 2 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)

HS 612510-23-9 CAPAUS

S 3-Furascurbovanide, 5-[[[[[[28]-4-[(3,4-difluorophenyl)nethyl]-2completelylles-flylles-flylles-flylles-flylles-flyll-4-es-thyl- (CA TREEX

Absolute stereochemistry.

NN 612510-30-2 CARLUS CB 3-Furancarboxanide, 5-[[[[[[28]-4-[3,4-difluorophenyl]nethyl]-2norpholinyl]nethyl]amino)carbonyl]amino]nethyl]-H-ethyl- (CA INDEX NUME) Absolute streechemistry.

188 612510-31-3 CAPLUS CS 3-Personerbooksnide, 5-[[[[[28]-6-[(3,4-difluorophenyl)nethyl]-2morpholinyl]nethyl]amino]carbonyl]amino]nethyl]-6-(1-methylethyl)-[DOKK 1986)

Absolute stereochemistry

L10 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)

$$1-p_{2} N 0$$

381 (12316-48-2 CMRUS 20 2-Thopsee on incomande, 4-[[[[[[25]-4-[[3,4-difluorophany2]nethyl]-2-morpholiny1]nethyl]amino]carbony2]amino]nethyl]-R-methyl- (CA INDEX MAMO) lite stereochemistry.

IN 612510-49-3 CAPLOS

(28 2-Thiophene-authoranide, 6-[[[[[[28]-4-[4,4-difluorophenyl)nethyl]-2-morpholinyl)nethyl)anino]osrbonyl)anino]nethyl)-8-ethyl- (CA INDEX NAME)

the take at a second at a

LIO ANSMER 2 OF 3 CAPLUS COPTRIGHT 2008 ACS on STN (Continued)

1 E12510-51-T CAPADS 2-Thiopheneauhouylid acid, 1[[[[[23]-4-[[3,4-dx]]amino]exhoyl]methyl]-2-morpholmyl]methyl]amino]exhonyl]amino]methyl]-, methyl ester (CA INDEX NAME)

solute stereochemistry.

NN 612510-52-8 CAPLUS
CS 2-Thiopheneourboxylse acid,
4-[[[[(28)-4-(13,4-disfluorophenyl)methyl)-2morpholinyl]methyl]mino[carboxyl]mino[methyl]- (CA INDEX NAME) Absolute stereochemistry.

H1 {12110-53-9 CAMCHA
CH 2-Thappheneanbowylle acid,
5-[[[[[23-4-[(3,4-diffloorophanyl)nethyl]-2morpholanyl]methyl]anino]carbowyl]anino]methyl]-, methyl ester (CA INDIX
NOME)

Absolute stereochemistry

LLO AMENER 2 OF 3 CAPLUS COPYRIGHT 2008 ACE on STN

612510-79-9 CAPLUS 2-Thiopheneoxiboxanide, 4-[[[[[(25)-4-[(3,4-dichlorophenyl)nethyl]-2-morpholanyl)nethyl]-dinino]nethyl]-8-methyl- (CA INDEX

612510-80-2 CAPUUS
2-Thiophenecarboxamide, 5-[[[[[[28]-4-[(3,4-dichlorophenyl)methyl]-2
mospholinyl]methyl]amino]carboxyl]amino]methyl]-R-methyl- (CA INDEX

te stereochemistry.

612510-81-3 CAPLUS 2-Thiopherecusboxamide, 6-[[[[[[28]-6-[(3,6-di.chlorophenyl)methyl]-2-morpholmyl/methyl]amimo]carboxyl]amimo]methyl]-8-ethyl- (CA IMDEX NAME)

LIG ANSMER 2 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)

612510-58-4 CAPLNS
3-Furancarboxylic acid, 5-{{{{{{{1}}{{{{1}}{{28}} - 4 - {{13},4 - difluorophenyllmethyl} - 2 - morpholinyl}methyl}anino}carbonyllmenthyll-, ethyl ester (CA INDEX PMMS)

612510-59-5 CAPLUS
3-Furancarboxylic acid, 5-[[[[[28]-4-[13,4-difluorophenyl]nethyl]-2-morpholinyl[nethyl]nethyl]amino]oxfoonyl]amino]nethyl]- (CA INDEX NNE) Absolute stereochemistry.

LIO ANSWER 2 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)

612510-82-4 CAPLUS
2-Thiophene carboxamide, 5-[[[[[[28]-4-[(3,4-dichlorophenyl)nethyl]-2-morpholinyl]nethyl]nethyl]anino]carboxyl]anino]nethyl]-8-ethyl- (CA INDEX WANI Absolute stereochemistry.

38 612510-83-5 CAPLOS
CR 3-Thiophene as rboxanide, 5-[[[[[[25]-4-[(3,4-difluor ophenyl)nethyl)-2-norpholinyl]nethyl)anino] carbonyl]anino]cethyl]-8-(1-cethylethyl)- (CROSE NOSE NOSE)

Absolute stereophenistry

612510-84-6 CAPLES
3-Thiopheneourboxamide, 5-[[[[[[28]-4-[(3,4-difluorophenyl)nethyl]-2-morpholinyl]methyl]amino[oxrbonyl]mnino[methyl]-8-ethyl- (CA INDEX NNE)

LIG AMENER 2 OF 3 CAPLUS COPPRIGHT 2008 ACS ON STN (Continued)

612510-85-7 CAPE/US
3-Thiopheneoxiboxanide, 5-[[[[[[25]-4-[(3,4-difluorophenyl)nethyl]-2-morpholapyl]nethyl]-10, INDEX

Absolute stereochemistry.

Absolute stereochemistry

612510-06-8 CAPLUS
3-Thiopheneoxinoxamide, 5-[[[[[(28)-4-[(3,4-dichloxophenyl)methyl]-2-morpholmyl]methyl]amino]exriconyl]amino]nethyl]-R-ethyl- (CA IRDEK NAME) Absolute stereochemistry.

RS 612510-80-0 CAPLUS CR 3-TALopherecarboxamide, 5-[[[[[28]-4-[1-(3,4-dichlorophenyl)ethyl]-2-monylochinyl]nethyl]naimo]carboxylochinylnethyl]-CA RMDEX

LLO AMENER 2 OF 3 CAPLUS COPYRIGHT 2008 ACE on STN

612511-22-5 CAPLUS
Urea, N-[[4-[3,4-dishlorophenyl)nethyl]-2-morpholinyl]nethyl]-N'-[2-(2-firamyl)ethyl]- (CA INDEX NAME)

612511-23-6 CAPLUS

| MacDistrict | Absolute stereochemistry.

388 632512-24-7 CASEMS CS2 Oreas, 8-[[(25)-4-[(3,4-dichloropheny2)methy1)-2-morpholiny1]methy1)-8\*-[[4-(3-methy4-18-1,2,4-txiasol-5-y1)-2-brany1]methy1)- (CA 18868 NAME)

LIO ARSMER 2 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)

N 612510-90-4 CAPARS
N 3-Thiophenecarboxamide,
||||||(28)-4-|(18)-1-(3,4-dichlorophenyl)ethyl)2-morpholinyl)methyl]amino|carboxyl]amino|methyl]-N-methyl- (CA INGEX

Absolute stereochemistry.

612510-91-5 CAPLUS

Absolute stereochemistry

LIG ANSWER 2 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN (Continues)

388 612511-25-8 CAPLUS
G2 Urea,
N-[[[25]-4-[[3,4-dichlorophenyl]nethyl]-2-morpholinyl]methyl]-N'-[[4(5-methyl-1,3,4-oxadiazol-2-yl)-2-furanyl]methyl]- (CA INDEX NNE)

6:12511-26-9 CARUS "Furnamentawonide, 5-[[[]][(28,58)-4-[(3,4-dichlorophenyl)methyl]-5-methyl-2-morpholinyl]methyl]amino]carbonyl]amino]methyl]-N-methyl- (CA IDDEX 1980B)

LIG ASSMER 2 OF 3 CAPLUS COPTRIGHT 2008 ACS on STN

LLO ANNUAR 3 OF 3 CAPLUS COPYRIGHT 2008 ACS on STR

$$\underset{x_1,x_2}{\text{with}} \underset{x_2}{\overset{\circ}{\bigvee}} \underset{x_3}{\text{with}} \underset{x_4}{\overset{\circ}{\bigvee}} \underset{x_5}{\overset{\circ}{\bigvee}} \underset{x_5}{\overset{\overset{\circ}{\bigvee}} \underset{x_5}{\overset{\overset{\circ}{\bigvee}} \underset{x_5}{\overset{\overset{\circ}{\bigvee}} \underset{x_5}{\overset{\overset{\circ}{\bigvee}}} \underset{x_5}{\overset{\overset{\circ}{\bigvee}} \underset{x_5}{\overset{\overset{\circ}{\bigvee}}} \underset{x_5}{\overset{\overset{\circ}{\bigvee}}} \underset{x_5}{\overset{\overset{\overset{\circ}{\bigvee}}{\overset{\overset{\overset{\circ}{\bigvee}}} \underset{x_5}{\overset{\overset{\overset{\overset{\overset{\overset{\overset{$$

Tails excepts. (3) 31 = alpy1, albusy), asp1, heteroxy1, (scheritured) expolately, alpy2, etc., 12 = R. alpy1, breezewayship; 33 = R. alpy1, albusy1, asp1, betteroxy1, asp1, asp1,

is was treated with POCESSOO and after 18 h with tris(2-anisoethy1)aniso polystypessy the nisture was stirred a further 72 h to give books to COS-1 receptors with price of polystypessy property of the price of polystypessy 2 (e3803-41-1) (e3803-42-2) (e3803-41-1) (e3803-42-2) (e3803-41-1) (e3803-42-2) (e3803-41-1)

498304-06-39 498304-07-49 RL: PAC [Pharmacologucal activity); EPR (Synthetic preparation); THU [Therapoutic use); BIGL (Biological study); PREP (Preparation); USES es; (preparation of morpholizy)methyluress for the treatment of

$$\stackrel{\text{\tiny $0$}}{ \longrightarrow} - CE_2 - NH - C - NH - CH_2 - \cdots - NH - CH_2 - \cdots - CH_2 - \cdots$$

 $\label{local-eq} \mbox{ 4.09303-82-2 CAMOUS Grea, N-[4-[3,4-dishlorophenyl)methyl]-2-morpholinyl]methyl]-N^-[2-(2-thresyl)bethyl]-(2.10050 NAMOS) \mbox{ ANNOS NAMOS (CALL) REPRESENTATION (CALL)$ 

L10 ANSMER 3 OF 3 CAPLUS ACCESSION NUMBER: 2

US COPTRIGHT 2008 ACS on STN 2002:256246 CAPLUS 136:294836

The content of the content of the content of the treatment of the content of the

PATENT ASSIGNEE(S):

MILY					24.7.3	1												
	PATERT NO.								APPLICATION NO.									
										MO 2001-GE4350								
								AU.										
			00.	CR.	CU.	CZ.	DE.	DK.	TON.	DZ.	EC.	EE.	ES.	FI.	GB.	GD.	GE.	GR
			GN.	HR.	BU.	ID.	TL.	IN,	IS.	JP.	EE.	100.	KP.	ER.	XZ.	LC.	LK.	LP
								MD,										
								93,										
						YU.												
		2001	CH.	CNL	KE,	LS.	MK.	NE.	SD.	SL.	88,	TE.	OG,	234	AT.	BE.	CH.	CY
			DE.	DK.	ES.	TI.	FR.	GB.	GR.	IE.	IT.	LU.	NC.	NL.	PT.	SE.	TR.	DI
			BJ.	CF.	og.	CI.	CN.	GA.	GN.	90.	CM.	ML.	NR.	NE.	SIN.	TD.	TG	
								2002										
								AU 2001-90146										
В	R :	2001014321			- 2	20030701			BE 2001-14321						20010928			
E	p :	1324	991			8.1		2003	0709		EP 2	1001-	9700	27				
E	P :							2006										
		B.t						ES,					LI,	LU,	NL.	SE,	MC,	PT
								no,										
			0031			3.2		2004	0301		100 3	003-	3107				0010	
									JP 2002-531107 NZ 2001-525055									
		5250																
E	Ρ.							2005										

EN 1564-07, M.C. et al. 18-2051-030 (PRODE-NACE) (PRODE-N 20010928

PRIORITY APPLAL IMPO. : GR 2000-23973 GB 2001-7643 EP 2001-970027 W 20010928

MO 2001-GB4750 OTHER SOURCE(S): MARPAT 136:294836

LIG ANSWER 3 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)

408303-95-7 CAFLUS Unea, N-[[4-[(3,4-dichloropheny1)methy1]-2-morpholiny1]methy1]-N'-[[5-[[dimethylanino]methy1]-2-furany1]methy1]- (CA INDEX NANE)

408304-06-3 CAPLUS Usea, N-[[4-[17.4-duchlorophenyl)methyl]-2-morpholinyl]methyl]-N'-[[5-[[dimethylaniso)methyl]-2-thionyl]methyl]- [CA INDEX NAME)

$$\operatorname{Ne}_2\operatorname{N-CH}_2 - \operatorname{S}_2 - \operatorname{CH}_2 - \operatorname{Ne-CH}_2 - \operatorname{CH}_2 - \operatorname{Ne-CH}_2 - \operatorname{CH}_2 -$$

408304-07-4 CAPLUS Urea, N-[4-[1],4-dachlorophenyl)methyl]-2-morpholizyl]methyl]-N'-(2-furanylmethyl)- (CA INDEX NAME)

REFERENCE COUNT: THIS THERE ARE 10 CITED REPERENCES AVAILABLE FOR RECORD. ALL CITATIONS AVAILABLE IN THE RE

=> log y COST IN U.S. DOLLARS	SINCE FILE	TOTAL SESSION
FULL ESTIMATED COST	22.11	300.76
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	-2.40	-2.40

STN INTERNATIONAL LOGOFF AT 11:58:09 ON 15 DEC 2008